

No. 433/SEIAA(H)/2011-I.A.III  
Government of India  
Ministry of Environment & Forests

Paryavaran Bhawan,  
CGO Complex, Lodhi Road,  
New Delhi-110 003.

Dated : 19.12.2011

To,

M/s Larsen & Toubro Ltd  
12/4, Delhi-Mathura Road  
Near Sarai Khawaja Chowk  
Faridabad - 121 003  
Haryana


**Subject: Environmental Clearance for the Expansion of IT Park at Sector-27D, Village Sarai Khawaza, Faridabad, Haryana by M/s Larsen & Toubro Ltd - Reg.**

Sir,

This has reference to your application No. Nil dated 5.4.2011 and subsequent letter dated 13.5.2011 and 11.7.2011 seeking prior Environmental Clearance for the above project under the EIA Notification, 2006. The proposal has been appraised as per prescribed procedure in the lights of provisions under the EIA Notification, 2006 on the basis of the mandatory documents enclosed with the application viz., the Form-1 & 1A and Conceptual Plan and additional clarifications furnished in response to the observations of the Expert Appraisal Committee constituted by the competent authority in it's meetings held on 23-24<sup>th</sup> June, 2011 and 13-15<sup>th</sup> July, 2011 and recommended Environmental Clearance to the project.

2. It is, interalia, noted that the project involves expansion of Office Complex "IT Park" on plot area of project 37468.75 Sq.m. The project involves expansion of Office Complex "IT Park" on a plot area of project 37468.75 Sq.m. The total built-up area is 1,37,125.32 Sq.m (existing block-15,248.56 Sq.m + proposed built-up area is 1,21,876.76 Sq.m) with 2 Basements + Ground floor + 17 floors. The total water requirement is 741 KLD (existing -88 KLD + proposed expansion-653 KLD) The freshwater requirement -341 KLD + recycled water-400 KLD. The capacity of STP is about-425 KLD. Treated water will be used for flushing of toilets-127 KLD, HVAC cooling-243 KLD and greenbelt-30 KLD. Total parking provided is 2205 cars + bus parking-6. The power requirement will be 10995 KW. Total solid waste generation will be 2284.5 Kg/day. Total cost of the project is Rs. 180 Crores (Existing Rs.35.73 Crores + Proposed expansion Rs. 144.27 Crores)

3. The Expert Appraisal Committee, after due consideration of the relevant documents submitted by the project proponent and additional clarifications furnished in response to its observations, have recommended for the grant of Environmental Clearance for the project mentioned above. Accordingly, the Ministry hereby accord necessary Environmental Clearance for the above project as per the provisions of



Environmental Impact Assessment Notification – 2006 and its subsequent amendments, subject to strict compliance of the terms and conditions as follows:


**PART A – SPECIFIC CONDITIONS**

**I. Construction Phase**

- (i) "Consent for Establishment" shall be obtained from Haryana State Pollution Control Board under Air and Water Act and a copy shall be submitted to the Ministry before start of any construction work at the site.
- (ii) All required sanitary and hygienic measures should be in place before starting construction activities and to be maintained throughout the construction phase.
- (iii) Overexploited groundwater and impending severe shortage of water supply in the region requires the developer to redraw the water and energy conservation plan. Developer shall submit details of good practices that have been included in the project to reduce the overall footprint of the proposed development including a detailed water balance along with source and quantities of potable and non-potable water requirement (including water requirement during construction phase) incorporating water efficiency/savings measures as well as water reuse/recycling within 3 months to the Ministry/ Regional office at Chandigarh before the start of construction.
- (iv) In view of water resources sustainability and severe constraints of water supply augmentation in the region the developer will submit NOC from CGWA specifying water abstraction quantities and NOC from HUDA/ utility provider indicating source of water supply and quantity of water with details of intended use of water - potable and non-potable and shall be submitted within to the Ministry/ Regional office at Chandigarh before the start of construction.
- (v) Water meters shall be installed for waste water utilization.
- (vi) A First Aid Room will be provided in the project both during construction and operation of the project.
- (vii) Adequate drinking water and sanitary facilities should be provided for construction workers at the site. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.
- (viii) Provision should be made for supply of fuel (kerosene or cooking gas); utensils such as pressure cookers etc. to the labourers during construction phase.
- (ix) All the labourers to be engaged for construction should be screened for health and adequately treated before engaging them to work at the site.
- (x) For disinfection of waste water, use ultra violet radiation, not chlorination.
- (xi) All the topsoil excavated during construction activities should be stored for use in horticulture/landscape development within the project site.
- (xii) Disposal of much during construction phase should not create any adverse effect on the neighbouring communities and be disposed taking the necessary



- precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.
- (xiii) Soil and ground water samples will be tested to ascertain that there is not threat to ground water quality by leaching of heavy metals and other toxic contaminants.
  - (xiv) Construction spoils, including bituminous material and other hazardous materials, must not be allowed to contaminate watercourses and the dump sites for such material must be secured so that they should not leach into the ground water.
  - (xv) The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environment (Protection) Rules proscribed for air and noise emission standards.
  - (xvi) Vehicles hired for bringing construction material to the site should be in good condition and should conform to applicable air and noise emission standards and should be operated only during non-peak hours.
  - (xvii) Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase.
  - (xviii) Fly ash should be used as building material in the construction as per the provisions of Fly Ash Notification of September, 1999 and amended as on 27<sup>th</sup> August, 2003 (The above condition is applicable only if the project is within 100 km of Thermal Power Station)
  - (xix) Ready mixed concrete must be used in building construction.
  - (xx) Storm water control and its re-use as per CGWB and BIS standards for various applications.
  - (xxi) Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices referred.
  - (xxii) Permission to draw ground water shall be obtained from the competent Authority prior to construction/operation of the project.
  - (xxiii) Separation of grey and black water should be done by the use of dual plumbing line for separation of grey and black water.
  - (xxiv) Treatment of 100% grey water by decentralized treatment should be done.
  - (xxv) Fixtures for shower, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.
  - (xxvi) Use of glass may be reduced by upto 40% to reduce the electricity consumption and load on air conditioning. If necessary, use high quality double glass with special reflective coating in windows.
  - (xxvii) Roof should meet prescriptive requirement as per Energy conservation Building Code by using appropriate thermal insulation material to fulfill requirement.



(xxviii) Adequate measures to reduce air and noise pollution during construction keeping in mind CPCB norms on noise limits.

(xxix) Opaque wall should meet prescriptive requirement as per Energy Conservation Building Code which is proposed to be mandatory for all air conditioned spaces while it is aspirational for non-air conditioned spaces by use of appropriate thermal insulation material to fulfill requirement.


## **II. Operation Phase**

- i) The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the Ministry before the project is commissioned for operation. Discharge of treated sewage shall conform to the norms and standards of the Haryana State Pollution Control Board, Panchkula.
- ii) Rain water harvesting for roof run-off and surface run-off, as plan submitted should be implemented. Before recharging the surface run-off, pre-treatment must be done to remove suspended matter, oil and grease.
- iii) The solid waste generated should be properly collected and segregated before disposal to the City Municipal Facility. The In-vessel bio-conversion technique should be used for composting the organic waste.
- iv) Any hazardous waste including biomedical waste should be disposed of as per applicable Rules & norms with necessary approvals of the Haryana State Pollution Control Board.
- v) The green belt design along the periphery of the plot shall achieve attenuation factor conforming to the day and night noise standards prescribed for residential land use. The open spaces inside the plot should be suitably landscaped and covered with vegetation of indigenous variety.
- vi) Incremental pollution load on the ambient air quality, noise and water quality should be periodically monitored after commissioning of the project.
- vii) Application of solar energy should be incorporated for illumination of common areas, lighting for gardens and street lighting in addition to provision for solar water heating. A hybrid system or fully solar system for a portion of the apartments should be provided.
- viii) Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.
- ix) A Report on the energy conservation measures conforming to energy conservation norms finalized by Bureau of Energy Efficiency should be prepared incorporating details about building materials & technology, R & U Factors etc. and submitted to the Ministry in three months time.

## **PART - B. GENERAL CONDITIONS**

- i) Six monthly monitoring reports should be submitted to the Ministry and its Regional Office, Chandigarh.

4. Officials from the Regional Office of MoEF, Chandigarh who would be monitoring the implementation of environmental safeguards should be given full cooperation, facilities and documents/data by the project proponents during their inspection. A complete set of all the documents submitted to MoEF should be forwarded to the CCF, Regional Office of MoEF, Chandigarh.
5. In the case of any change(s) in the scope of the project, the project would require a fresh appraisal by this Ministry.
6. The Ministry reserves the right to add additional safeguard measures subsequently, if found necessary, and to take action including revoking of the Environment Clearance under the provisions of the Environmental (Protection) Act, 1986, to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.
7. All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department, Forest Conservation Act, 1980 and Wildlife (Protection) Act, 1972 etc. shall be obtained, as applicable by project proponents from the respective competent authorities.
8. A copy of the clearance letter shall be sent by the proponent to concerned panchayat, Zilla Parishad/Municipal Corporation, Urban local body and the local NGO, if any, from whom suggestions/representations, if any were received while processing the proposal. The clearance letter shall also be put on the website of the Company the proponent.
9. The project proponent should advertise in at least two local Newspapers widely circulated in the region, one of which shall be in the vernacular language informing that the project has been accorded environment clearance and copies of clearance letters are available with the Haryana State Pollution Control Board and may also be seen on the website of the Ministry of Environment & Forests at <http://www.envfor.nic.in> The advertisement should be made within 7 days from the day of issue of the clearance letter and a copy of the same should be forwarded to the Regional office of this Ministry at Chandigarh.
10. These stipulation would be enforced among others under the provisions of Water (Prevention and control of Pollution) Act, 1974, the Air (Prevention and control of Pollution) Act 1981, the Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and EIA Notification, 2006.
11. Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.
12. The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional office of MoEF, the respective Office of CPCB and the SPCB.



13. Environmental clearance is subject to final order of the Hon'ble Supreme Court of India in the matter of Goa Foundation Vs. Union of India in Writ Petition (Civil) No. 460 of 2004 as may be applicable to this project.

Yours faithfully,

  
(Lalit Kapur)  
Director (IA)

Copy to:

- 1) The Secretary, Department of Environment, Government of Haryana, Chandigarh.
- 2) The Member Secretary, Haryana State Pollution Control Board, Plot No. C-11, Sector-6, Panchkula, Haryana.
- 3) The CCF, Regional Office, Ministry of Environment & Forests (NZ), Bays No. 24-25, Sector-31-A, Dakshin Marg, Chandigarh-160030.
- 4) IA - Division, Monitoring Cell, MoEF, New Delhi - 110003.
- 5) Guard file

  
(Lalit Kapur)  
Director (IA)